

color+ Series QJ

Digital Ink Systems

Color+ Series QJ solvent based inkjet inks

Color+ Series QJ inks have been designed specifically for Turbojet printers or similar drop on demand inkjet.

Features

- Solvent-based technology
- Fast drying
- Bright, vibrant colours
- Suitable for uncoated materials
- Recommended for both external and internal applications

Ink Properties

Series QJ is a range of high density; highly durable solvent-based pigmented inks for use with the Scitex Turbojet. The inks are designed to ensure easy switch over from original OEM inks.

Using only the best quality pigments and Sericol's unique Micro V dispersion technology, Series QJ inks provide a wider, cleaner colour gamut increasing the number of colours achievable.

Trichromatic colour range

QJ004	Black
QJ052	Yellow
QJ135	Magenta
QJ185	Light Magenta
QJ215	Cyan
QJ255	Light Cyan

Available in 5 and 10 litre containers

QU016 Flushing and cleaning solution

Available in 5 litre containers

Application Range

Series QJ inks are recommended for a wide range of uncoated materials. Main applications include:

- Billboards
- Display POP
- Poster
- Indoor and Outdoor Signage
- Bus Shelters
- Taxi Advertising
- Exhibition and Window graphics.

Series QJ can be used to decorate a wide range of flexible and semi rigid substrates such as:

- PVC
- Self-adhesive Vinyl
- Synthetic papers
- Paper
- Blue backed poster papers

THE END USER MUST DETERMINE SUITABILITY OF THIS PRODUCT FOR THE INTENDED USE PRIOR TO PRODUCTION

Drying

Series QJ inks have been formulated to meet the drying specification of the Turbojet superwide format presses using solvent-based inks.

The actual drying speed will depend on a number of factors. These include, ink thickness, substrate choice and the print speed.

Colour and outdoor durability

The highest quality pigments have been chosen for their super-wide colour gamut maximising the range of colours achievable.

Accelerated weathering tests have been carried out in a Xenon Arc weatherometer set to the SAEJ 1960 standard. Under these conditions the accelerated weathering of Series QJ inks equate to approximately 12 months outdoor exposure in a temperate climate such as the UK.

Chemical and Abrasion Resistance

Series QJ inks have good chemical and abrasion resistance. However, for optimum resistance it is recommended to over-varnish or laminate prints to protect the surface from chemical attack.

Plastics

Certain plastics may be impregnated with lubricants, which may impair adhesion and block resistance even a considerable period of time after printing.

Storage

In the interest of maximum shelf-life storage temperatures should be between 5 and 30°C. If stored under these conditions the inks are expected to have a shelf-life of 12 months from date of manufacture.

SERICOL
More than ink...Solutions.
FUJIFILM

Fujifilm Sericol UK Limited:

- Has certification to the International Environmental Standard, ISO 14001.
- Is committed to minimising the risk to users of our products, and also to minimising the impact of our activities on the environment, from formulation through to production and supply.
- Research & development team, work to an in house Health, Safety and Environmental policy, termed 'Design for Health, Safety and Environment', with the aim of proactively developing products with the least impact on health, safety and the environment.
- Regularly review and monitor our impacts and activities, setting objectives and targets as part of a continual improvement process.
- Is committed to reducing waste through better use of raw materials, energy, water, re-use and recycling.

Safety & Handling

Series QJ inks

- Are formulated to be free from any chemicals toxic to health, carcinogenic, mutagenic or reprotoxic according to Directive 67/548/EC.
- Are not routinely tested, but are formulated to comply with the EN71-3 1995 Toy Safety Standard.

Comprehensive information on the safety and handling of Series QJ inks and cleaner is given in the appropriate Sericol Safety Data Sheets.

Environmental Information

Series QJ inks

- Do not contain ozone-depleting chemicals as described in the Montreal Convention.
- Are formulated free from aromatic hydrocarbons.

The information and recommendations contained in this Product Information sheet, as well as technical advice otherwise given by representatives of our Company, whether verbally or in writing, are based on our present knowledge and believed to be accurate. However, no guarantee regarding their accuracy is given as we cannot cover or anticipate every possible application of our products and because manufacturing methods, printing stocks and other materials vary. For the same reason our products are sold without warranty and on condition that users shall make their own tests to satisfy themselves that they will meet fully their particular requirements. Our policy of continuous product improvement might make some of the information contained in this Product Information sheet out of date and users are requested to ensure that they follow current recommendations.

SERICOL
More than ink...Solutions.

FUJIFILM

FUJIFILM SERICOL UK LIMITED

Pysons Road Broadstairs Kent CT10 2LE United Kingdom

Tel: (01843) 866668 Fax: (01843) 872184

UK Sales Tel: (01992) 782619 Fax: (01992) 782602

Email: uksales@fujifilmsericol.com

Customer Service Centres Tel: 0845 084 89 89



Export Sales

Pysons Road Broadstairs Kent CT10 2LE United Kingdom

Tel: +44 (0)1843 866668 Fax: +44 (0)1843 872122

Email: exportsales@fujifilmsericol.com

www.fujifilmsericol.com